SCHEDULE D - APPAREL

 The requirement for specified apparel for participants in motor sport is noted in NCR 141. These requirements vary in relation to the overall risk of the activity and, where appropriate, with regard to FIA and/or local civil authority regulations.

The tables below shall be used to determine the level and type of apparel required for a given event.

2. APPLICATION

- (a) The letters in the following tables represent the applicable standard as detailed in Article 3. These are referenced by apparel type and status of the competition.
- (b) The standards set out in this Article are the minimum requirement for the competition or activity listed.
- (c) The status of the application refers to the level of competition entered at a given meeting, not the status of the event/
- (d) A passenger in a automobile shall be required to wear apparel as detailed in the CAMS Motor Sport Passenger Ride Activity (MSPRA) policy.

Notes:

- NA = not applicable
- . NR = no standing minimum requirement set by CAMS
- Any international competition listed on the FIA International Calendar will be subject to the standard of apparel detailed
 in the applicable FIA regulations and these will supersede the requirements set out below should a conflict arise for the
 activity.

2.1 RACE			utomob i than a Sup			Superkart					Superkart							
	Club	Multi-Club	State	National	International	Club	Multi-Club	State	National	International	Private Practice	Demonstrations	Parades					
Helmet	B ³	B ³	Α	Α	Α	С	С	С	С	A ²	В	В	NR					
Frontal Head Restraint	B ³	B ³	А	А	А	В	В	В	В	B ²	В	В	NR					
Flame-retardant Overalls / Other Outerwear	В	В	В	В	А	E¹	E¹	E¹	E¹	E²	В	В	NR					
Flame-retardant Underwear	В	В	В	В	А	С	С	С	С	A ²	В	В	NR					
Flame-retardant Balaclava	В	В	В	В	А	D	D	D	D	A ²	В	В	NR					
Footwear	Α	Α	Α	Α	Α	D	D	D	D	A^2	Α	Α	NR					
Socks	Α	Α	Α	Α	Α	С	С	С	С	C ²	Α	Α	NR					
Gloves	Α	Α	Α	Α	Α	D	D	D	D	D ²	Α	Α	NR					

Motor Racing notes:

³FHR will be mandatory for Club and Multi Club level effective 01/01/2018

Superkart notes:

- 1. For each 250cc class driver the suit must be made of leather.
- 2. Refer FIA/CIK requirements.

2.2 RALLY/ROAD		(Grave	el	Tarmac					Other									
	Olub	Multi-Club	State	National	International	Olub	Multi-Club	State	National	International	Club	Multi-Club	State	National	International	S1 Rallysprint	Private Practice	Demonstrations	Parades
Helmet	В	В	Α	Α	Α	В	В	Α	Α	Α	D	D	D	D	NA	В	В	В	NR
Frontal Head Restraint	В	В	А	А	А	В	В	А	А	А	С	С	С	С	NA	В	В	В	NR
Flame-retardant Overalls / Other Outerwear	D	D	С	В	А	С	С	В	В	Α	F	F	F	F	NA	D	D	D	NR
Flame-retardant Underwear	В	В	В	В	А	В	В	В	В	Α	С	С	С	С	NA	В	В	В	NR
Flame-retardant Balaclava	С	С	В	В	А	В	В	В	В	А	D	D	D	D	NA	С	С	С	NR
Footwear	В	В	В	Α	Α	В	В	Α	Α	Α	С	С	С	С	NA	В	В	В	NR
Socks	В	В	В	Α	Α	В	В	Α	Α	Α	С	С	С	С	NA	В	В	В	NR
Gloves (not mandatory for co-drivers)	В	В	В	Α	Α	В	В	Α	А	Α	С	С	С	С	NA	В	В	В	NR
	Gravel Rally notes: Gravel Rallies include Special Stage, Non- Special Stage and S2 Rallysprint. The wearing of a helmet and flame-retardant apparel is not mandatory in liaison/transport sections. A full-face helmet is highly recommended for the crew of an open car.			e orint. urel	Assemblies, Economy Runs and other road events complying with civil road rules. For Touring Road Events the				s les. ie										

2.3 OFF ROAD

	Club	Multi-Club	State	National	International	Practice Testing	Demonstrations	Parades
Helmet	B ¹	B ¹	Α	Α	NA	B ¹	B ¹	NR
Frontal Head Restraint	B ¹	B ¹	А	А	NA	B ¹	B ¹	NR
Flame-retardant Overalls / Other Outerwear	C ²	C ²	C ²	C ²	NA	C ²	C ²	NR
Flame-retardant Underwear	B ²	B ²	B ²	B ²	NA	B ²	B ²	NR
Flame-retardant Balaclava	B^3	B^3	B^3	B ³	NA	B ³	B^3	NR
Footwear	В	В	В	В	NA	В	В	NR
Socks	Α	Α	Α	Α	NA	Α	Α	NR
Gloves	Α	Α	Α	Α	NA	Α	Α	NR

Off Road notes:

2.4 SPEED (INCLUDES DRIFTING & REGULARITY)

Multi-Club	State	National	International	Practice/ Private Practice	Demonstrations	Parades
В	В	В	Α	В	В	NR
В	В	В	А	В	В	NR
D	D	D	А	D	D	NR
В	В	В	А	В	В	NR
С	С	С	А	С	С	NR
В	В	В	Α	В	В	NR
В	В	В	Α	В	В	NR
В	В	В	Α	В	В	NR
	B B C B B	 B B B D D B B B B B B 	B B B B B B B B B B B B B B B B	B B B A B B A D D D A B B B A C C C C A B B B A	B B B A B D D D A D B B B A B C C C A C B B B B A B B B A B	B B B A B B B B B A B B D D D A D D B B B A B B C C C A C C B B B A B B B B A B B

Speed notes:

A full-face helmet is highly recommended for a driver of an open car.

2.5 AUTOTEST		М	otorkha	na			Kł	nanacro	ss				
	Club	Multi-Club	State	National	International	Club	Multi-Club	State	National	International	Practice/Testing	Demonstrations	Parades
Helmet	D/ B¹	D/ B¹	D/ B¹	D/ B¹	NA	В	В	В	В	NA	D¹ / B¹	D¹ / B¹	NR
Frontal Head Restraint	С	С	С	С	NA	С	С	С	С	NA	С	С	NR
Flame-retardant Overalls / Other Outerwear	F	F	F	F	NA	F/ D¹	F/ D¹	F/ D¹	F/ D¹	NA	F/ D²	F/ D²	NR
Flame-retardant Underwear	С	С	С	С	NA	С	С	С	С	NA	С	С	NR
Flame-retardant Balaclava	D	D	D	D	NA	D	D	D	D	NA	D	D	NR
Footwear	С	С	С	С	NA	С	С	С	С	NA	С	С	NR
Socks	С	С	С	С	NA	С	С	С	С	NA	С	С	NR
Gloves (not mandatory for co-drivers)	С	С	С	С	NA	С	С	С	С	NA	С	С	NR
Motorkhana notes: Each driver of a motorkhana special is required to wear a helmet					Khanacross notes: Drivers of open vehicles and specials are required to comply					*See n	otes		

*Notes:

- 1. The helmet standard of the relevant discipline upon which the activity is based shall apply.
- In Khanacross-based activity, drivers and passengers in open automobiles are required to comply with Level D outerwear. Each driver and (where applicable) passenger in a motorkhana special is required to wear a helmet to the B standard.

with Level D outerwear.

to Level B standard.

¹ Level A requirements effective 1 January 2018.

² If only a single layer flame retardant overall is worn level A flame retardant underwear must also be worn effective 1 January 2017.
3 Level A required for any Open Face Helmet.

3. APPAREL STANDARDS

3.1 HELMET

A	Standards	Example Label	FHR Compliant
	Note: For International level Events, only a helmet a for Helmets) shall be accepted.	as specified in FIA Technical List No. 25 (Recognised Standards	
	FIA 8860-2010	The continue of the continue o	Yes
	FIA 8860-2004 (Not valid level a after 31/12/2020)	PIA Standard 6565-2504	Yes
	FIA 8859-2015	The Continues and the Continues of the C	Yes
	Snell SA2005 (Not valid level A after 31/12/2018) and either FIA 8858-2010 label OR FIA 8858-2010 tether anchors Snell SA2010 (not valid level A after 31/12/2023) And either FIA 8858-2010 OR FIA 8858-2010 tether anchors	SA 2005 SA 2010 A STATE OF THE PARTY OF TH	Yes
	Snell SA2005 (Not valid level A after 31/12/2018) and either FIA 8858-2002 label OR FIA 8858-2002 tether anchors Snell SA2010 (Not valid level A after 31/12/2023) and FIA 8858-2002 tether anchors	Heiner teg schorage from the standard 6000-2002 FIA No. is etched on the tether anchor	Yes
	Snell SA2015 and FIA 8858-2010 tether anchors	SA2015	Yes
	Snell SAH 2010 (Not valid level A after 31/12/2023) and FIA 8858-2010 tether anchors	SA2010 ONELL	Yes
В	Level A Standard		
	BS 6658-85 A/FR If used with FHR only fitted with FHR tether anchors from the manufacturer.	SETTING TO	Yes
	SFI 31.1, SFI 31.1A, SFI 31.2A, SFI 24.1 (youth helmet standard) Level A Standard	The Proceedings of the Control of th	No
	Snell SA2000	SA2000 CNELL	No
	AS1698	Asstralar Standard ASA/ZS 1698 Sacot by SA Global DO NOT REMOVE	No
	E22 (with 03, 04 or 05 amendments)	(No example)	No
С	Full face helmet to		
	Level A Standard		No
	Level B Standard		No
	Snell M2000, M2005, M2010, M2015 (valid for Superkart competition only)	M2015 ONELL	No
D		Not Mandatory	

3.2 FRONTAL HEAD RESTRAINT (FHR)

L		Standards	Exampl	e Label	
	Α	FIA 8858-2010 or 8858-2002 standard (see www.fia.com) Tether markings. Manufactured before 01/01/2013 (Fig 1) Manufactured after 01/01/2013 (Fig 2)	Standard	APPROVED Standard 8858-2010	(Fig 1) In compliance with FIA standard 858-2002 Manufacturer: Restraint Company
	В	Not mandatory, Level A standard device highly recommended	8858-2002	Restraint	Model: RCB-001
Γ	С	Not mandatory, highly recommended where circumstances are appropriate	4	Company	
			EIR AL	Andrei 1058-2558 Proprier Composition to PRIXXXXXX	Fig 2)

2.2 ELAME DETADDANT OVEDALLS / OTHER OUTEDWEAD


3.3	FLAME-RETARDANT OVERALLS / OTHER OUTERWEAR						
Α	FIA 8856-2000 standard (see www.fia.com) manufactured before 01/01/2013 (Fig 1) [Fig 2] (Fig 1), manufactured after 01/01/2013 (Fig 2) [Fig 2] (Fig 2) (Fig 2) (Fig 1), manufactured after 01/01/2013 (Fig 2) (Fig 2) (Fig 2) (Fig 3) (Fig 3) (Fig 3) (Fig 4) (Fig 4) (Fig 4) (Fig 4) (Fig 4) (Fig 5) (Fig 5) (Fig 5) (Fig 6)						
В	Level A; FIA 1986						
С	Level A; Level B; SFl3.2A/1 (single layer) or superior SFI standard						
D	Clothing from ankles to neck to wrists. Clothing of flammable synthetic material, such as nylon, is not acceptable. Level A, B or C overalls are recommended.						
E	A one- or two-piece abrasion-resistant 'race' suit which is securely fastened at the wrists and ankles, and also at the waist on a two-piece suit. The material may be leather, Cordura®, Cordulon® or equivalent. Some classes/groups may require a suit of leather.						

3.4 FLAME-RETARDANT UNDERWEAR

F Minimum of short sleeve shirt/t shirt and short pants

A FIA 8856-2000 standard (see www.fia.com) Standard 8856-2000 Not mandatory; FIA-standard flame-retardant underwear is FiA) RS.000.00 Manufacturer name recommended Year of manufacture: 2016 C Not mandatory 3.5 FLAME-RETARDANT BALACLAVA

A FIA 8856-2000 standard (see www.fia.com) In compliance with FIA **B** A Level A balaclava is required, except where the driver/co-driver is wearing a RS.000.00 Standard 8856-2000 helmet to Level A standard. If a Level A helmet is worn, the wearing of a flame-Manufacturer name Year of manufacture: 20XX Year of manufacture: 2016 retardant balaclava is not mandatory, but is recommended C Not mandatory; a motor sport standard balaclava is recommended D Not mandatory 3.6 FOOTWEAR



3.7 FLAME-RETARDANT SOCKS



3.8	GLOVES	
Α	FIA 8856-2000 standard (see www.fia.com)	Standard 8856-2000 RS.000.00
В	Not mandatory; FIA-standard flame-retardant gloves are strongly recommended	«Manufacturer's Name» Year of manufacture: 20XX
С	Not mandatory	In compliance with FIA
D	Abrasion-resistant gloves that cover and protect the hands and wrists (including the fingers)	Standard 8856-2000 Manufacturer name Year of manufacture: 2016

FURTHER REQUIREMENTS

These requirements are in addition to the other Articles of Schedule D.

- (a) Each driver/competing crew member shall continue to comply with the requirement of NCR 141 until such time as they exit their automobile, or for rally/road events until the completion of a competitive section/stage - refer also to Article 2.2.
- (b) Apparel shall be worn as the manufacturer intended.
- (c) Individual category or event regulations may require higher standards of apparel than those detailed in Article 2. In such cases the higher standard shall apply.

4.2 BADGES AND EMBROIDERY OR PRINTING/TRANSFERS

The attachment of badges, use of embroidery or any printing/transfers on competitor's overalls can have a detrimental effect on the protection afforded by the garment.

- (a) Badges: For apparel complying to the FIA 8856-2000 Standard, it is mandatory that all badges attached to the garment have a flame-resistant backing, and be attached only with flame-resistant thread to the outer layer of the garment only. For all garments the number and size of badges should be kept to the minimum required to meet commercial and regulatory obligations.
- (b) Embroidery: For apparel complying to the FIA 8856-2000 Standard, it is mandatory that all embroidery be done using flame-resistant thread. Embroidery is only permitted to the outer layer of the garment. This is strongly recommended for all apparel.
- (c) Printing/Transfers: For apparel complying to the FIA 8856-2000 Standard any printing or transfer is permitted to be done only by the manufacturer. A competitor may be asked to demonstrate proof that any printing or transfer has been done only by the manufacturer.

4.3 HELMET REQUIREMENTS

(a) Style:

- (i) In addition to the helmets approved for use above, each helmet shall be one of the following design types; full face or open face. An open-faced helmet is defined as a helmet that, as a minimum, covers the hairline of the average person and includes covering the ears.
- (ii) Specifically excluded are helmets that do not cover, when viewed in side elevation, the area from the top of the ear to the bottom of the jaw, commonly referred to as a 'skull cap' style.

(b) Modifications

- (i) A helmet shall not be modified from its specification as manufactured except in compliance with instructions approved by the manufacturer and one of the standards organisations listed in this schedule, which certified the helmet concerned. Any item added or attached to a helmet by any means shall be considered as a modification. Any modifications or additions undertaken may invalidate the helmet certification.
- (ii) Approved modifications may include: Painting or wrapping (vinyl sticker or similar) in compliance with the manufacturer's instructions which may require proof that it has been carried out accordingly.
- (iii) Adding or attaching of ducting for cooling purposes using components supplied by the manufacturer or in compliance with the manufacturer's instructions. Adding or attaching communication equipment using components supplied by the manufacturer or in compliance with the manufacturer's instructions.

Note: Decoration of helmets is potentially dangerous, and members are warned of the hazard of using paint on approved helmets. Paint, stickers and transfers, or surface treatments can react with helmet shell material and affect its protective capacity; therefore, where a manufacturer provides guidelines or restrictions on the painting or decoration of helmets, these must be followed, using only paint or surface treatment specified by them (air drying acrylic, polyurethane enamel or others) and preferably a painter having their approval. This is particularly important for injectionmolded shells which are not usually suitable for painting.

The shell being painted should be efficiently masked as paint penetrating the interior can affect the performance of the helmet liner. Paints requiring heat curing should not be used and any process should not exceed the maximum temperature of conditioning of the helmet in the standard to which it is approved.

(c) Frontal Head Restraints:

- (i) The drilling of holes in helmets for the fitment of FHR tether posts shall be undertaken only by the manufacturer of the helmet or an approved manufacturer's agent.
- (ii) Tether posts may be fitted to helmets that are pre-drilled in accordance with the FHR manufacturer's instructions.

The manufacturer's instructions should also be consulted for any considerations on the use of stickers and transfers. (d) Accidents & Damage: Competitors are cautioned against using a helmet which has been damaged or involved in an accident. Helmets shall be deemed by the Event Officials to be in a suitable condition for motor sport use.

4.4 GOGGLES & VISORS

- (a) Goggles or visors must be worn by drivers of open automobiles.
- (b) Those with glass lenses of any kind are not acceptable. Lenses shall be of a plastic material, with high-impact resistance, satisfactory optical qualities and complying with Australian Standard Specification AS 1609-1981, BS4110Z or equivalent international standard.

Note: Goggles must be configured so as to minimise the entry of dust into the eye from any angle, and be positively retained by an elastic strap behind the head or helmet. Conventional-style glasses are not acceptable.

4.5 HEARING PROTECTION

It is recommended that hearing protection devices (ear plugs) be worn at all times when exposed to high levels of noise

4.6 PIT CREW APPAREL - CIRCUIT RACES

(a) Each person working on automobiles in the pit or paddock area must at least wear shoes and socks, short pants and a short sleeved shirt. On race day, each pit crew must be neatly attired. The Organiser is authorised to refuse entry to the pit area of any person unsuitably attired.

- (b) In a circuit race where a refuelling operation is permitted, each person must at least wear shoes and socks, long pants and a short sleeved shirt. Each person involved in a refuelling operation or who is working within one metre of the refuelling or venting point must be attired in the following:
 - (i) One-piece overalls of flame-resistant materials extending from neck to wrists to ankles. Where such overalls consist of a single layer of material, separate flame-resistant underwear extending from neck to wrists to ankles must also be worn.
 - (ii) A flame-resistant balaclava which covers the entire head and neck save for one or two eye openings, unless a helmet providing a similar level of protection is worn.
 - (iii) Goggles which cover all exposed areas of skin not covered by the balaclava, or a full-face helmet and visor.
 - (iv) Shoes of leather or other flame-resistant materials which completely cover the feet and which fit closely around the ankle to minimise the ingress of spilt fuel. The soles must be resistant to fuel.
 - (v)Those directly handling fuel shall require socks and gloves which comply with the requirements of the FIA 1986 or 8856-2000 standard.

4.7 SUPERKART RACES AND PRACTICE

A superkart driver may wear appropriate wet weather clothing in addition to that specified.

4.8 MORATORIUMS

There shall be two years' notice on the implementation of any increased apparel requirements, save for any identified and pressing safety related requirements which may arise or become evident for non-international events.